



## Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact [support@jstor.org](mailto:support@jstor.org).

*Acting Assistant Surgeon Hargrave ill with yellow fever.*

[Telegram.]

PROGRESO, MEXICO, *September 18, 1902.*

*Department of State, Washington, D. C.:*

Acting Assistant Surgeon Hargrave down with yellow fever. Pending instructions am acting for him. Details by next mail.

THOMPSON,  
*United States Consul.*

*Report from Tampico.*

TAMPICO, MEXICO, *September 8, 1902.*

SIR: I have the honor to transmit herewith an abstract of the bills of health issued at this office for the week ended September 6, 1902. During this period there was recorded in the office of the juez civil a total of 20 deaths, due to the following causes: Malaria, 6; tuberculosis, 2; gastro-intestinal affections, 2; miscellaneous, 10. In a population of 17,279 this makes an annual mortality rate for the week of about 60 per 1,000. This unusually high rate is in large measure accounted for by an exceptional number, 4, of deaths by violence, such as suicide, homicide, and railroad accidents, recorded above in the miscellaneous class.

The sanitary condition of the port remains unchanged.

Respectfully,

JOS. GOLDBERGER,  
*Assistant Surgeon.*

The SURGEON-GENERAL.

*Reports from Vera Cruz.*

VERA CRUZ, MEXICO, *September 1, 1902.*

SIR: I have the honor to report that during the week ended August 30, there were reported 35 cases and 5 deaths from yellow fever, and 29 deaths from all causes. There has been no sickness in the harbor nor any suspects found among the passengers leaving the port. With the exception of the increase in the number of cases of yellow fever, the general health conditions of the city were better than they had been for several years. It is exceptional that the general mortality falls below 30 for the week.

Respectfully,

S. H. HODGSON,  
*Acting Assistant Surgeon.*

The SURGEON-GENERAL.

*Yellow fever in Orizaba.*

VERA CRUZ, MEXICO, *September 7, 1902.*

SIR: I have the honor to make the following report for the week ended September 6: There were reported during the week 45 deaths from all causes, 7 from yellow fever, 9 from pernicioso, 7 from remittent fever, and 5 from tuberculosis. Twenty-four new cases of yellow fever were reported during the period.

Yellow fever is now epidemic in Orizaba, a city on the line of the Mexican railroad, between Vera Cruz and City of Mexico. This is a city of over 30,000 inhabitants, nonimmunes, and is situated on a plateau about 4,000 feet above sea level. During the summer of 1899 there were